FORM TP 2019040

TEST CODE **01254020**

MAY/JUNE 2019

CARIBBEAN EXAMINATIONS COUNCIL

CARIBBEAN SECONDARY EDUCATION CERTIFICATE®
EXAMINATION

ADDITIONAL MATHEMATICS

Paper 02 – General Proficiency

2 hours 40 minutes

READ THE FOLLOWING INSTRUCTIONS CAREFULLY.

1. This paper consists of FOUR sections. Answer ALL questions in Section I, Section II and Section III.
2. Answer ONE question in Section IV.
3. Write your answers in the spaces provided in this booklet.
4. Do NOT write in the margins.
5. A list of formulae is provided on page 4 of this booklet.
6. If you need to rewrite any answer and there is not enough space to do so on the original page, you must use the extra page(s) provided at the back of this booklet. **Remember to draw a line through your original answer**.
7. **If you use the extra page(s) you MUST write the question number clearly in the box provided at the top of the extra page(s) and, where relevant, include the question part beside the answer.**

Required Examination Materials

Electronic calculator (non-programmable)
Geometry set
Mathematical tables (provided)
Graph paper (provided)

DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.

Copyright © 2017 Caribbean Examinations Council
All rights reserved.

"*"Barcode Area"*"
Sequential Bar Code

LIST OF FORMULAE

Arithmetic Series $T_n = a + (n-1)d \qquad S_n = \frac{n}{2}[2a + (n-1)d]$

Geometric Series $T_n = ar^{n-1} \qquad S_n = \frac{a(r^n - 1)}{r - 1} \qquad S_\infty = \frac{a}{1-r},\ -1 < r < 1 \text{ or } |r| < 1$

Circle $x^2 + y^2 + 2fx + 2gy + c = 0 \qquad (x+f)^2 + (y+g)^2 = r^2$

Vectors $\hat{\mathbf{v}} = \frac{\mathbf{v}}{|\mathbf{v}|} \qquad \cos\theta = \frac{\mathbf{a} \cdot \mathbf{b}}{|\mathbf{a}| \times |\mathbf{b}|} \qquad |\mathbf{v}| = \sqrt{(x^2 + y^2)} \text{ where } \mathbf{v} = x\mathbf{i} + y\mathbf{j}$

Trigonometry $\sin(A \pm B) \equiv \sin A \cos B \pm \cos A \sin B$

$\cos(A \pm B) \equiv \cos A \cos B \mp \sin A \sin B$

$\tan(A \pm B) \equiv \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$

Differentiation $\frac{\mathrm{d}}{\mathrm{d}x}(ax + b)^n = an(ax + b)^{n-1}$

$\frac{\mathrm{d}}{\mathrm{d}x}\sin x = \cos x$

$\frac{\mathrm{d}}{\mathrm{d}x}\cos x = -\sin x$

Statistics $\bar{x} = \frac{\sum_{i=1}^{n} x_i}{n} = \frac{\sum_{i=1}^{n} f_i x_i}{\sum_{i=1}^{n} f_i}, \qquad S^2 = \frac{\sum_{i=1}^{n} (x_i - \bar{x})^2}{n} = \frac{\sum_{i=1}^{n} f_i x_i^2}{\sum_{i=1}^{n} f_i} - (\bar{x})^2$

Probability $P(A \cup B) = P(A) + P(B) - P(A \cap B)$

Kinematics $v = u + at \qquad v^2 = u^2 + 2as \qquad s = ut + \frac{1}{2}at^2$

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

SECTION I

Answer BOTH questions.

ALL working must be clearly shown.

1. (a) The function f is such that $f(x) = 2x^3 + 7x^2 + 3x$.

(i) Determine **all** linear factors of $f(x)$.

(3 marks)

(ii) Compute the roots of the function $f(x)$.

(2 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

(b) Two functions are such that $g(x) = x^2 - x$ and $h(x) = 2x - 3$.

(i) Determine $gh(x)$.

(2 marks)

(ii) Given that $hg(x) = 2x^2 - 2x - 3$, show that the values of x, for which $hg(x) = 0$, can be expressed as $\frac{1 \pm \sqrt{7}}{2}$.

(3 marks)

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) Solve $3x \log 2 + \log 8^x = 2$.

(4 marks)

Total 14 marks

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

"*"Barcode Area"*"
Sequential Bar Code

2. (a) (i) Express $f(x) = -2x^2 - 7x - 6$ in the form $a(x + h)^2 + k$.

(3 marks)

(ii) State the maximum value of $f(x)$.

(1 mark)

(iii) State the value of x for which $f(x)$ is a maximum.

(1 mark)

(iv) Use your answer in (a) (i) to determine **all** values of x when $f(x) = 0$.

(3 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(v) Sketch the function $f(x)$ and show your solution set to (a) (iv) when $f(x) < 0$.

(2 marks)

(b) A geometric series can be represented by $\frac{y}{x} + \frac{y^2}{x^3} + \frac{y^3}{x^5} + \ldots$

Prove that $S_\infty = xy\,(x^2 - y)^{-1}$.

(4 marks)

Total 14 marks

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

SECTION II

Answer BOTH questions.

ALL working must be clearly shown.

3. (a) A circle with centre (1, –1) passes through the point (4, 3).

(i) Calculate the radius of the circle.

(2 marks)

(ii) Write the equation of the circle in the form $x^2 + y^2 + 2fx + 2gy + c = 0$.

(2 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(iii) Determine the equation of the tangent to the circle at the point (4, 3).

(3 marks)

(b) Two vectors **p** and **q** are such that **p** = 8**i** + 2**j** and **q** = **i** – 4**j.**

(i) Calculate **p.q**.

(2 marks)

(ii) State the angle between the two vectors **p** and **q**.

(1 mark)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

"*"Barcode Area"*"
Sequential Bar Code

(c) The position vector $\mathbf{a} = 4\mathbf{i} - 7\mathbf{j}$. Find the unit vector in the direction of $\mathbf{a}$.

(2 marks)

Total 12 marks

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

4. (a) A compass is used to draw a sector of radius 6 cm and area 11.32 cm².

(i) Determine the angle of the sector in radians.

(3 marks)

(ii) Calculate the perimeter of the sector.

(2 marks)

"*"Barcode Area"*"
Sequential Bar Code

(b) A right-angled triangle **XYZ** has an angle, θ, where $\sin\theta = \frac{\sqrt{5}}{5}$.

Without evaluating θ, calculate the exact value (in surd form if applicable) of

(i) $\cos\theta$

(2 marks)

(ii) $\sin 2\theta$.

(2 marks)

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) Show that $\tan^2 \theta + 1 = \frac{1}{\cos^2 \theta}$.

(3 marks)

Total 12 marks

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

"*"Barcode Area"*"
Sequential Bar Code

SECTION III

Answer BOTH questions.

ALL working must be clearly shown.

5. (a) The stationary points of a curve are given by $(5, 11\frac{2}{3})$ and $(3, 15)$.

(i) Derive an expression for $\frac{dy}{dx}$.

(2 marks)

(ii) Determine the nature of the stationary points.

(5 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(iii) Determine the equation of the curve.

(4 marks)

(b) Differentiate $\sqrt[3]{(2x+3)^2}$ with respect to x, giving your answer in its simplest form.

(3 marks)

Total 14 marks

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

"*"Barcode Area"*"
Sequential Bar Code

6. (a) Integrate $3 \cos x + 2 \sin x$.

(2 marks)

(b) Evaluate $\int_1^4 \frac{2\sqrt{x}}{x} dx$.

(4 marks)

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

(c) The point (2, 4) lies on the curve whose gradient is given by $\frac{dy}{dx} = -2x + 1$.

Determine

(i) the equation of the curve

(4 marks)

(ii) the area under the curve in the finite region in the first quadrant between 0 and 3 on the x-axis.

(4 marks)
Total 14 marks

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

SECTION IV

Answer only ONE question.

ALL working must be clearly shown.

7. (a) The weights, in kg, of students in a Grade 5 class are displayed in the following stem and leaf diagram.

Boys		Girls
9 8	2	8 8 9
9 9 9 7 3	3	2 2 3 5 8 8 8
5 1 1 1 1 0 0	4	0 1 1 2
1	5	

Key:

Boys 8|2 means 28 kg
Girls 2|8 means 28 kg

(i) State the number of students in the class.

.....

(1 mark)

(ii) Construct ONE box-and-whisker plot for the entire Grade 5 class (boys and girls combined).

(4 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(iii) The standard deviation of the weights of the boys is 5.53 kg.

Determine the standard deviation of the weights of the girls. Provide an interpretation of your answer for the girls compared to that given for the boys.

Interpretation .....

.....

.....

(5 marks)

(iv) Determine the number of students above the 20th percentile for this class.

(2 marks)

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

(b) A vendor has 15 apples on a tray: 5 red, 6 green and 4 yellow. A customer requests 3 apples but does NOT specify a colour.

Determine the probability that the apples chosen

(i) contain one of EACH colour

(4 marks)

(ii) are ALL of the same colour.

(4 marks)

Total 20 marks

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

NOTHING HAS BEEN OMITTED.

8. (a) A car has stopped at a traffic light. When the light turns green, it accelerates uniformly to a speed of 28 ms^{-1} in 15 seconds. The car continues to travel at this speed for another 35 seconds, before it has to stop 10 seconds later at another traffic light.

(i) On the grid provided **on page 25**, draw a speed–time graph showing the information above. **(3 marks)**

(ii) Calculate the distance the car travelled between the two traffic lights.

(3 marks)

(iii) Calculate the average speed of the car over this journey, **giving your answer in kmh^{-1}**.

(3 marks)

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

GO ON TO THE NEXT PAGE

"*"Barcode Area"*"
Sequential Bar Code

(b) A particle moves in a straight line such that t seconds after passing a fixed point, O, its acceleration, a, in ms^{-2}, is given by $a = 12t - 17$. Given that its speed at O is 10 ms^{-1}, determine

(i) the values of t for which the particle is stationary

(5 marks)

(ii) the distance the particle travels in the fourth second.

(6 marks)

Total 20 marks

END OF TEST

IF YOU FINISH BEFORE TIME IS CALLED, CHECK YOUR WORK ON THIS TEST.

"*"Barcode Area"*"
Sequential Bar Code

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA